## SAFETY DATA SHEET

Alloy SAC305 Fastcore



### **Section 1. Identification**

GHS product identifier : Alloy SAC305 Fastcore

Reference number : Not available.

Other means of : Not available.
identification

Product type : Solid. [Cored Wire]

#### Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

Supplier's details : AIM

9100 Henri Bourassa East

Montreal, QC H1E 2S4 (514) 494-2000

In the United States:

AIM

25 Kenney Drive Cranston, RI 02920 (800) CALL-AIM

In México

AIM Soldadura de México Circuito Interior Norte # 460 Parque Industrial Salvarcar Ciudad Juárez, Chih. (656) 630-0032

Emergency telephone number (with hours of

number (with hours of operation)

: INFOTRAC

North America: (800) 535-5053 International: (352) 323-3500

### Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the substance or mixture

: SKIN SENSITIZATION - Category 1

**GHS label elements** 

Hazard pictograms :



Signal word : Warning

**Hazard statements** : May cause an allergic skin reaction.

**Precautionary statements** 

**Prevention**: Wear protective gloves. Avoid breathing dust. Contaminated work clothing must not be

allowed out of the workplace.

Response : IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before

reuse. If skin irritation or rash occurs: Get medical attention.

Storage : Not applicable.

Date of issue/Date of revision : 3/4/2020 Date of previous issue : 3/2/2020 Version : 0.03 1/11

Alloy SAC305 Fastcore

## Section 2. Hazards identification

**Disposal** 

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazards not otherwise

classified

: None known.

## Section 3. Composition/information on ingredients

: Mixture Substance/mixture Other means of : Not available.

identification

Ingredient name	%	CAS number
Tin	≥90	7440-31-5
silver	≤3	7440-22-4
rosin	≤3	8050-09-7
copper	≤1	7440-50-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First aid measures

#### **Description of necessary first aid measures**

**Eye contact** : Get medical attention if any damage to the eye is caused by the metal.

Inhalation : Not applicable.

Skin contact : Wash with plenty of soap and water. Wash contaminated clothing thoroughly with water

> before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure.

Cuts should be treated promptly and covered.

: Not applicable. Ingestion

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact** : Not applicable. Inhalation : Not applicable.

: May cause an allergic skin reaction. Skin contact

Ingestion : Not applicable.

#### **Over-exposure signs/symptoms**

: No specific data. Eye contact Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

: No specific treatment. **Specific treatments** 

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash

contaminated clothing thoroughly with water before removing it, or wear gloves.

Date of issue/Date of revision : 3/4/2020 : 3/2/2020 Version : 0.03 2/11 Date of previous issue

### Section 4. First aid measures

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: None known.

Specific hazards arising from the chemical

: No specific fire or explosion hazard.

**Hazardous thermal** decomposition products

: Decomposition products may include the following materials: metal oxide/oxides

**Special protective actions** for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** equipment for fire-fighters : No special protection is required.

#### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

**Environmental precautions** : No specific hazard.

#### Methods and materials for containment and cleaning up

**Small spill** 

: Restack safely. Take care with items that are sharp or heavy.

Large spill

Restack safely. Take care with items that are sharp or heavy. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Take care with items that are sharp or heavy.

Advice on general occupational hygiene : Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. See Section 10 for incompatible materials before handling or use.

Date of issue/Date of revision : 3/4/2020 : 3/2/2020 Version : 0.03 3/11 Date of previous issue

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Tin	ACGIH TLV (United States, 3/2019).
	TWA: 2 mg/m³, (as Sn) 8 hours. Form:
	Inhalable fraction
	NIOSH REL (United States, 10/2016).
	TWA: 2 mg/m³ 10 hours.
	OSHA PEL (United States, 5/2018).
	TWA: 2 mg/m³, (as Sn) 8 hours.
silver	OSHA PEL 1989 (United States, 3/1989).
	TWA: 0.01 mg/m³, (as Ag) 8 hours.
	ACGIH TLV (United States, 3/2019).
	TWA: 0.1 mg/m³ 8 hours. Form: Dust and
	fumes
	OSHA PEL (United States, 5/2018).
	TWA: 0.01 mg/m³, (as Ag) 8 hours.  NIOSH REL (United States, 10/2016).
	TWA: 0.01 mg/m³, (as Ag) 10 hours. Form:
	METAL DUST AND SOLUBLE
rosin	ACGIH TLV (United States, 3/2019). Skin
10311	sensitizer. Inhalation sensitizer.
copper	ACGIH TLV (United States, 3/2019).
	TWA: 1 mg/m³, (as Cu) 8 hours. Form: Dust
	and mist
	TWA: 0.2 mg/m³ 8 hours. Form: Fume
	OSHA PEL 1989 (United States, 3/1989).
	TWA: 1 mg/m³, (as Cu) 8 hours. Form:
	Dusts and Mists
	TWA: 0.1 mg/m³, (as Cu) 8 hours. Form:
	Fume
	NIOSH REL (United States, 10/2016).
	TWA: 1 mg/m³, (as Cu) 10 hours. Form:
	Dusts and Mists
	OSHA PEL (United States, 5/2018).
	TWA: 1 mg/m³ 8 hours. Form: Dusts and Mists
	TWA: 0.1 mg/m³ 8 hours. Form: Fume
	TWA. 0.1 mg/m o nouis. I om. Fume

Appropriate engineering controls

**Environmental exposure** controls

: No special ventilation requirements.

: Not applicable.

#### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Wash thoroughly after handling.

#### **Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

#### **Skin protection**

Date of issue/Date of revision : 3/4/2020 Date of previous issue : 3/2/2020 Version : 0.03 4/11

## Section 8. Exposure controls/personal protection

**Hand protection** 

: Use strong, cut-resistant gloves suitable for handling metals.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Not applicable.

## Section 9. Physical and chemical properties

**Appearance** 

: Solid. [Cored Wire] **Physical state** 

Color : Colorless. : Not available. Odor : Not available. Odor threshold pН : Not available.

: 217 to 218°C (422.6 to 424.4°F) **Melting point** 

**Boiling point** : Not available. : Not available. Flash point Not available. **Evaporation rate** 

Flammability (solid, gas) : Slightly flammable in the presence of the following materials or conditions: open flames,

sparks and static discharge.

Lower and upper explosive

(flammable) limits

: Not available.

: Not available. Vapor pressure Vapor density : Not available. **Relative density** : Not available. : Not available. Solubility Solubility in water Not available. Partition coefficient: n-: Not available.

octanol/water

**Auto-ignition temperature** : Not available. **Decomposition temperature** : Not available. **Viscosity** : Not available. Flow time (ISO 2431) : Not available.

## Section 10. Stability and reactivity

Reactivity No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** No specific data.

Incompatible materials : No specific data.

**Hazardous decomposition** products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Date of issue/Date of revision : 3/4/2020 : 3/2/2020 Version : 0.03 5/11 Date of previous issue

## **Section 11. Toxicological information**

#### **Information on toxicological effects**

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
rosin	LD50 Oral	Rat	7600 mg/kg	-

#### **Irritation/Corrosion**

Not available.

#### **Sensitization**

Not available.

#### **Mutagenicity**

Not available.

#### **Carcinogenicity**

Not available.

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP
copper	-	-	Known to be a human carcinogen.

#### **Reproductive toxicity**

Not available.

#### **Teratogenicity**

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

#### Information on the likely

routes of exposure

: Routes of entry not anticipated: Dermal.

#### Potential acute health effects

**Eye contact** : Not applicable. **Inhalation** : Not applicable.

**Skin contact**: May cause an allergic skin reaction.

**Ingestion**: Not applicable.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No specific data. **Inhalation** : No specific data.

**Skin contact**: Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

# <u>Delayed and immediate effects and also chronic effects from short and long term exposure</u> <u>Short term exposure</u>

Date of issue/Date of revision : 3/4/2020 Date of previous issue : 3/2/2020 Version : 0.03 6/11

## Section 11. Toxicological information

**Potential immediate** 

effects

: Not available.

**Potential delayed effects** 

: Not available.

**Long term exposure** 

Potential immediate

effects

: Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed to

very low levels.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

**Acute toxicity estimates** 

Not available.

## **Section 12. Ecological information**

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
silver	Acute EC50 1.4 µg/l Marine water	Algae - Chroomonas sp.	4 days
	Acute EC50 0.24 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 11 μg/l Fresh water	Crustaceans - Ceriodaphnia reticulata	48 hours
	Acute LC50 2.13 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic NOEC 5 mg/l Marine water	Algae - Glenodinium halli	72 hours
copper	Acute EC50 1100 µg/l Fresh water	Aquatic plants - Lemna minor	4 days
	Acute EC50 2.1 μg/l Fresh water	Daphnia - Daphnia longispina - Juvenile (Fledgling, Hatchling, Weanling)	48 hours
	Acute IC50 13 μg/l Fresh water	Algae - Pseudokirchneriella subcapitata - Exponential growth phase	72 hours
	Acute IC50 5.4 mg/l Marine water	Aquatic plants - Plantae - Exponential growth phase	72 hours
	Acute LC50 0.072 µg/l Marine water	Crustaceans - Amphipoda - Adult	48 hours
	Acute LC50 7.56 μg/l Marine water	Fish - Periophthalmus waltoni - Adult	96 hours
	Chronic NOEC 2.5 µg/l Marine water	Algae - Nitzschia closterium - Exponential growth phase	72 hours
	Chronic NOEC 7 mg/l Fresh water	Aquatic plants - Ceratophyllum demersum	3 days
	Chronic NOEC 0.02 mg/l Fresh water	Crustaceans - Cambarus bartonii - Mature	21 days
	Chronic NOEC 2 μg/l Fresh water Chronic NOEC 0.8 μg/l Fresh water	Daphnia - Daphnia magna Fish - Oreochromis niloticus - Juvenile (Fledgling, Hatchling, Weanling)	21 days 6 weeks

Date of issue/Date of revision : 3/4/2020 Date of previous issue : 3/2/2020 Version : 0.03 7/11

## Section 12. Ecological information

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
silver	-	70	low
rosin	1.9 to 7.7	-	high

#### **Mobility in soil**

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

#### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues.

## **Section 14. Transport information**

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.
Additional information	Reportable quantity 34013.6 lbs / 15442.2 kg. Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity)					-

Date of issue/Date of revision : 3/4/2020 Date of previous issue : 3/2/2020 Version : 0.03 8/11

Alloy SAC305 Fastcore						
Section 14. Transpor	rt informatio	on				
transportation requirements.						

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Transport in bulk according

to Annex II of MARPOL and

the IBC Code

: Not available.

## Section 15. Regulatory information

U.S. Federal regulations : United States inventory (TSCA 8b): All components are listed or exempted.

Clean Air Act Section 112

(b) Hazardous Air Pollutants (HAPs)

: Not listed

**Clean Air Act Section 602** 

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

**DEA List I Chemicals** 

ais

(Precursor Chemicals)

: Not listed

**DEA List II Chemicals** 

: Not listed

(Essential Chemicals)

**State regulations** 

Massachusetts : The following components are listed: TIN; SILVER

New York : The following components are listed: Silver

New Jersey : The following components are listed: TIN; SILVER

Pennsylvania : The following components are listed: TIN; SILVER COMPOUNDS; ROSIN CORE

SOLDER PYROLYSIS PRODUCTS

#### California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

#### **International regulations**

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed.

#### **Stockholm Convention on Persistent Organic Pollutants**

Not listed.

#### **Rotterdam Convention on Prior Informed Consent (PIC)**

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

#### **International lists**

#### **National inventory**

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

Date of issue/Date of revision : 3/4/2020 Date of previous issue : 3/2/2020 Version : 0.03 9/11

## Section 15. Regulatory information

**China** : All components are listed or exempted.

**Europe** : All components are listed or exempted.

Japan : Japan inventory (ENCS): Not determined.

Japan inventory (ISHL): Not determined.


Malaysia : Not determined

New Zealand : All components are listed or exempted.
Philippines : All components are listed or exempted.
Republic of Korea : All components are listed or exempted.
Taiwan : All components are listed or exempted.

Turkey : Not determined.

### Section 16. Other information

#### **Hazardous Material Information System (U.S.A.)**



#### **National Fire Protection Association (U.S.A.)**



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### Procedure used to derive the classification

Classification	Justification	
SKIN SENSITIZATION - Category 1	Calculation method	

#### **History**

Date of printing : 3/4/2020 Date of issue/Date of : 3/4/2020

revision

**Date of previous issue** : 3/2/2020 **Version** : 0.03

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

References : -CHEMTOX database

Date of issue/Date of revision : 3/4/2020 Date of previous issue : 3/2/2020 Version : 0.03 10/11

Alloy SAC305 Fastcore

## Section 16. Other information

✓ Indicates information that has changed from previously issued version.

#### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 3/4/2020 Date of previous issue : 3/2/2020 Version : 0.03 11/11